







# Pricelist 2022:1

FRAMES | COMPONENTS | ACCESSORIES

VALID FROM 1 FEBRUARY 2022  
SEK - EUR

 SWEDSTYLE











PRODUCT	FRAME WIDTH	COLOURS	ART.NO	SEK	EUR
HEIGHT-ADJUSTABLE FRAMES 2-COLUMNS					
	<b>AERO 2.0 FLEX 2c/2S</b> 1150 - 1740 mm 675 - 1175 mm	Silver RAL 9006	AE22AA01AA08G	4 010	397
		Black RAL 9005	AE22AA01AA40G	4 010	397
		White RAL 9016	AE22AA01AA25G	4 010	397
	<b>AERO 2.0 FLEX 2c/3S</b> 1150 - 1740 mm 605 - 1265 mm *Only available with foot A	Silver RAL 9006	AE23AA01BA08G	4 030	399
		Black RAL 9005	AE23AA01BA40G	4 030	399
		White RAL 9016	AE23AA01BA25G	4 030	399
		Anthracite	AE23AA01BA17G	4 030	399
		Chrome*	AE23AA01BA98G	7 840	776
	<b>AERO 2.0 FLEX 2c/3S</b> <b>Hi Power</b> 1150 - 1740 mm 605 - 1265 mm Lift capacity 160 kg	Silver RAL 9006	AE23AA01UB08G	4 570	452
		Black RAL 9005	AE23AA01UB40G	4 570	452
		White RAL 9016	AE23AA01UB25G	4 570	452
	<b>CLASSIC 2.0 FLEX 2c/2S</b> 1150 - 1740 mm 675 - 1175 mm	Silver RAL 9006	CL22AA01AA08G	4 280	424
		Black RAL 9005	CL22AA01AA40G	4 280	424
		White RAL 9016	CL22AA01AA25G	4 280	424
	<b>CLASSIC 2.0 FLEX 2c/3S</b> 1150 - 1740 mm 615 - 1275 mm	Silver RAL 9006	CL23AA01BA08G	4 520	448
		Black RAL 9005	CL23AA01BA40G	4 520	448
		White RAL 9016	CL23AA01BA25G	4 520	448
		Anthracite	CL23AA01BA17G	4 520	448
	<b>QUADRO 2.0 FLEX 2c/2S</b> 1150 - 1740 mm 675 - 1175 mm	Silver RAL 9006	QU22AA01AA08G	4 160	412
		Black RAL 9005	QU22AA01AA40G	4 160	412
		White RAL 9016	QU22AA01AA25G	4 160	412
	<b>QUADRO 2.0 FLEX 2c/3S</b> 1150 - 1740 mm 595 - 1255 mm	Silver RAL 9006	QU23AA01BA08G	4 690	464
		Black RAL 9005	QU23AA01BA40G	4 690	464
		White RAL 9016	QU23AA01BA25G	4 690	464
	<b>SOLO M 3.0 FLEX</b> 1150 - 1550 mm 690 - 1170 mm or fixed 980 mm	Silver RAL 9006	550508E	3 220	319
		Black RAL 9005	550540E	3 220	319
		White RAL 9016	550525E	3 220	319
	<b>SOLO C 3.0 FLEX</b> 1150 - 1550 mm 690 - 1170 mm or fixed 980 mm	Silver RAL 9006	550608E	2 830	280
		Black RAL 9005	550640E	2 830	280
		White RAL 9016	550625E	2 830	280













PRODUCT	FRAME WIDTH	COLOURS	ART.NO	SEK	EUR	
<b>HEIGHT-ADJUSTABLE FRAMES 3-COLUMNS</b>						
	<b>AERO 2.0 FLEX 3c/3S</b>	1740-2150 mm	Silver RAL 9006	AE33AA01FB08G	7 220	715
	605 - 1265 mm	1555-2145 mm	Black RAL 9005	AE33AA01FB40G	7 220	715
			White RAL 9016	AE33AA01FB25G	7 220	715
			Anthracite	AE33AA01FB17G	7 220	715
<b>HEIGHT-ADJUSTABLE FRAMES 3-COLUMNS</b>						
	<b>CLASSIC 2.0 FLEX 3c/3S</b>	1740-2150 mm	Silver RAL 9006	CL33AA01FB08G	7 770	769
	615 - 1275 mm	1555-2145 mm	Black RAL 9005	CL33AA01FB40G	7 770	769
			White RAL 9016	CL33AA01FB25G	7 770	769
			Anthracite	CL33AA01FB17G	7 770	769
<b>HEIGHT-ADJUSTABLE FRAMES TWIN</b>						
	<b>CLASSIC TWIN 2.0 FLEX 3S</b>	1150 - 1740 mm	Silver RAL 9006	CL43XA01BA08G	9 640	954
	590-1250 mm		Black RAL 9005	CL43XA01BA40G	9 640	954
			White RAL 9016	CL43XA01BA25G	9 640	954
<b>HEIGHT-ADJUSTABLE FRAMES - 4 LEGS</b>						
	<b>Tetra Work Frame</b>	800 x 850-1200 mm	Black	512105	12 070	1 195
	655-1155 mm	800 x 850-1200 mm	White	512106	12 070	1 195
		800 x 1230-1845 mm	Black	512115	12 070	1 195
		800 x 1230-1845 mm	White	512116	12 070	1 195
		800 x 1640-2250 mm	Black	512125	12 070	1 195
		800 x 1640-2250 mm	White	512126	12 070	1 195
		900 x 850-1200 mm	Black	512155	12 070	1 195
		900 x 850-1200 mm	White	512156	12 070	1 195
		900 x 1230-1845 mm	Black	512165	12 070	1 195
		900 x 1230-1845 mm	White	512166	12 070	1 195
		900 x 1640-2250 mm	Black	512175	12 070	1 195
		900 x 1640-2250 mm	White	512176	12 070	1 195
<b>HEIGHT-ADJUSTABLE FRAMES - WALL MOUNTED</b>						
	<b>Wall 1-column</b>	Dimensions of table top BxD:	Silver RAL 9006	56700108B	6 830	676
		490 - 1000 x 500 - 800 mm	Black RAL 9005	56700140B	6 830	676
			White RAL 9016	56700125B	6 830	676
	<b>Wall 2-column</b>	Dimensions of table top BxD:	Silver RAL 9006	56700208B	9 190	910
		900 - 2000 x 500 - 800 mm	Black RAL 9005	56700240B	9 190	910
			White RAL 9016	56700225B	9 190	910
	<b>Wall 3-column</b>	Dimensions of table top BxD:	Silver RAL 9006	56700308B	13 130	1 300
		1300 - 4000 x 500 - 800 mm	Black RAL 9005	56700340B	13 130	1 300
			White RAL 9016	56700325B	13 130	1 300

PRODUCT	FRAME WIDTH	COLOURS	ART.NO	SEK	EUR	
HEIGHT-ADJUSTABLE FRAME						
CONFERENCE						
	<b>CLASSIC C-2</b> 615 - 1115 mm	1150 - 1750 mm	Silver RAL 9006	CL23RK01BA08G	7 220	715
		With 700 mm foot	Black RAL 9005	CL23RK01BA40G	7 220	715
			White RAL 9016	CL23RK01BA25G	7 220	715
		1150 - 1750 mm	Silver RAL 9006	CL23YK01BA08G	7 390	732
	With 900 mm foot	Black RAL 9005	CL23YK01BA40G	7 390	732	
		White RAL 9016	CL23YK01BA25G	7 390	732	
	<b>CLASSIC C-2+</b> 615 - 1115 mm	2100 - 2600 mm	Silver RAL 9006	CL23RO01BA08G	8 250	817
		Fixed width, even decimals	Black RAL 9005	CL23RO01BA40G	8 250	817
		With 700 mm foot	White RAL 9016	CL23RO01BA25G	8 250	817
		2100 - 2600 mm	Silver RAL 9006	CL23YO01BA08G	8 260	818
	Fixed width, even decimals	Black RAL 9005	CL23YO01BA40G	8 260	818	
	With 900 mm foot	White RAL 9016	CL23YO01BA25G	8 260	818	
	<b>CLASSIC C-3</b> 615 - 1115 mm	2295 - 3495 mm	Silver RAL 9006	CL33RK01FB08G	10 970	1 086
		With 700 mm foot	Black RAL 9005	CL33RK01FB40G	10 970	1 086
			White RAL 9016	CL33RK01FB25G	10 970	1 086
		2295 - 3495 mm	Silver RAL 9006	CL33YK01FB08G	11 120	1 101
	With 900 mm foot	Black RAL 9005	CL33YK01FB40G	11 120	1 101	
		White RAL 9016	CL33YK01FB25G	11 120	1 101	
	<b>CLASSIC C-4</b> 615 - 1115 mm	3435 - 5235 mm	Silver RAL 9006	CL43RK01BA08G	15 700	1 554
		With 700 mm foot	Black RAL 9005	CL43RK01BA40G	15 700	1 554
			White RAL 9016	CL43RK01BA25G	15 700	1 554
		3435 - 5235 mm	Silver RAL 9006	CL43YK01BA08G	15 870	1 571
	With 900 mm foot	Black RAL 9005	CL43YK01BA40G	15 870	1 571	
		White RAL 9016	CL43YK01BA25G	15 870	1 571	






PRODUCT	FRAME WIDTH	COLOURS	ART.NO	SEK	EUR
<b>FRAMES WITH FIXED HEIGHT</b>					
 <p><b>CLASSIC C-2</b> Fixed height 715 mm</p>	1150 - 1750 mm	Silver RAL 9006	CL2FRKXXXX08G	4 350	431
	With 700 mm foot	Black RAL 9005	CL2FRKXXXX40G	4 350	431
		White RAL 9016	CL2FRKXXXX25G	4 350	431
	1150 - 1750 mm	Silver RAL 9006	CL2FYKXXXX08G	4 520	448
	With 900 mm foot	Black RAL 9005	CL2FYKXXXX40G	4 520	448
		White RAL 9016	CL2FYKXXXX25G	4 520	448
 <p><b>CLASSIC C-2+</b> Fixed height 715 mm</p>	2100 - 2600 mm	Silver RAL 9006	CL2FROXXXX08G	5 540	549
	Fixed width, even decimals	Black RAL 9005	CL2FROXXXX40G	5 540	549
	With 700 mm foot	White RAL 9016	CL2FROXXXX25G	5 540	549
	2100 - 2600 mm	Silver RAL 9006	CL2FYOXXXX08G	5 670	561
	Fixed width, even decimals	Black RAL 9005	CL2FYOXXXX40G	5 670	561
	With 900 mm foot	White RAL 9016	CL2FYOXXXX25G	5 670	561
 <p><b>CLASSIC C-3</b> Fixed height 715 mm</p>	2295 - 3495 mm	Silver RAL 9006	CL3FRKXXXX08G	6 780	671
	With 700 mm foot	Black RAL 9005	CL3FRKXXXX40G	6 780	671
		White RAL 9016	CL3FRKXXXX25G	6 780	671
	2295 - 3495 mm	Silver RAL 9006	CL3FYKXXXX08G	6 930	686
	With 900 mm foot	Black RAL 9005	CL3FYKXXXX40G	6 930	686
		White RAL 9016	CL3FYKXXXX25G	6 930	686
 <p><b>CLASSIC C-4</b> Fixed height 715 mm</p>	3435 - 5235 mm	Silver RAL 9006	CL4FRKXXXX08G	9 540	945
	With 700 mm foot	Black RAL 9005	CL4FRKXXXX40G	9 540	945
		White RAL 9016	CL4FRKXXXX25G	9 540	945
	3435 - 5235 mm	Silver RAL 9006	CL4FYKXXXX08G	9 760	966
	With 900 mm foot	Black RAL 9005	CL4FYKXXXX40G	9 760	966
		White RAL 9016	CL4FYKXXXX25G	9 760	966
 <p><b>AERO V-2</b> Fixed height 700, 900, 1050 mm</p>	1125 - 1740 mm	Silver RAL 9006	505508K	4 140	410
		Black RAL 9005	505505K	4 140	410
		White RAL 9016	505506K	4 140	410
 <p><b>AERO V-3</b> Fixed height 700, 900, 1050 mm</p>	2240 - 3470 mm	Silver RAL 9006	505528K	7 120	705
		Black RAL 9005	505525K	7 120	705
		White RAL 9016	505526K	7 120	705






PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR	
<b>COMPONENTS</b>						
	<b>AERO 2 STAGE</b>	Silver RAL 9006	AE1208B	1 160	115	
		Black RAL 9005	AE1240B	1 160	115	
		White RAL 9016	AE1225B	1 160	115	
	<b>AERO 3 STAGE</b>	Silver RAL 9006	AE1308B	1 260	125	
		Black RAL 9005	AE1340B	1 260	125	
		White RAL 9016	AE1325B	1 260	125	
		Chrome	AE1398B	2 580	255	
		<b>CLASSIC 2 STAGE</b>	Silver RAL 9006	CL1208B	1 260	125
			Black RAL 9005	CL1240B	1 260	125
		White RAL 9016	CL1225B	1 260	125	
<b>CLASSIC 3 STAGE</b>		Silver RAL 9006	CL1308B	1 370	136	
		Black RAL 9005	CL1340B	1 370	136	
		White RAL 9016	CL1325B	1 370	136	
	<b>CLASSIC 3 STAGE - LEFT</b> For fixed screenholder	Silver RAL 9006	CL1308B-L	1 530	151	
		Black RAL 9005	CL1340B-L	1 530	151	
		White RAL 9016	CL1325B-L	1 530	151	
	<b>CLASSIC 3 STAGE - RIGHT</b> For fixed screenholder	Silver RAL 9006	CL1308B-H	1 530	151	
		Black RAL 9005	CL1340B-H	1 530	151	
		White RAL 9016	CL1325B-H	1 530	151	
	<b>QUADRO 2D</b>	Silver RAL 9006	QU1208B	1 260	125	
		Black RAL 9005	QU1240B	1 260	125	
		White RAL 9016	QU1225B	1 260	125	
	<b>QUADRO 3D</b>	Silver RAL 9006	QU1308B	1 630	161	
		Black RAL 9005	QU1340B	1 630	161	
		White RAL 9016	QU1325B	1 630	161	





PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR
<b>COMPONENTS</b>					
	<b>FOOT A - STRAIGHT</b> 690 mm	Silver RAL 9006	FOTA08B	160	16
		Black RAL 9005	FOTA40B	160	16
		White RAL 9016	FOTA25B	160	16
	<b>FOOT B - STRAIGHT</b> 490 mm	Silver RAL 9006	FOTB08B	160	16
		Black RAL 9005	FOTB40B	160	16
		White RAL 9016	FOTB25B	160	16
	<b>FOOT C - STRAIGHT</b> 890 mm	Silver RAL 9006	FOTC08B	330	33
		Black RAL 9005	FOTC40B	330	33
		White RAL 9016	FOTC25B	330	33
	<b>FOOT D - 90°</b> 664 mm	Silver RAL 9006	FOTD08B	180	18
		Black RAL 9005	FOTD40B	180	18
		White RAL 9016	FOTD25B	180	18
	<b>FOOT E - 90°</b> 464 mm	Silver RAL 9006	FOTE08B	210	21
		Black RAL 9005	FOTE40B	210	21
		White RAL 9016	FOTE25B	210	21
	<b>FOOT M - 90°</b> 700 mm Not centered	Silver RAL 9006	FOTM08B	290	29
		Black RAL 9005	FOTM40B	290	29
		White RAL 9016	FOTM25B	290	29
	<b>FOOT G - 45°</b> 683 mm	Silver RAL 9006	FOTG08B	370	37
		Black RAL 9005	FOTG40B	370	37
		White RAL 9016	FOTG25B	370	37
	<b>FOOT H - 45°</b> 483 mm	Silver RAL 9006	FOTH08B	380	38
		Black RAL 9005	FOTH40B	380	38
		White RAL 9016	FOTH25B	380	38
	<b>FOOT U - 45° for Classic frames</b> 718 mm Lower position not centered Classic -15 mm height	Silver RAL 9006	FOTU08B	400	40
		Black RAL 9005	FOTU40B	400	40
		White RAL 9016	FOTU25B	400	40
	<b>FOOT R - MASSIVE</b> 700 mm	Silver RAL 9006	FOTR08B	840	83
		Black RAL 9005	FOTR40B	840	83
		White RAL 9016	FOTR25B	840	83

PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR
<b>COMPONENTS</b>				<b>SIDE BRACKETS</b>	
	<b>Side bracket A</b>	Silver RAL 9006	STAGA08B	60	6
	540 mm	Black RAL 9005	STAGA40B	60	6
	Hooks	White RAL 9016	STAGA25B	60	6
	<b>Side bracket C</b>	Silver RAL 9006	STAGC08B	200	20
	740 mm	Black RAL 9005	STAGC40B	200	20
	Hooks	White RAL 9016	STAGC25B	200	20
	<b>Side bracket E - Right</b>	Silver RAL 9006	STAGE08B-H	240	24
	575 mm, not centered	Black RAL 9005	STAGE40B-H	240	24
	Hooks	White RAL 9016	STAGE25B-H	240	24
	<b>Side bracket E - Left</b>	Silver RAL 9006	STAGE08B-V	240	24
	575 mm, not centered	Black RAL 9005	STAGE40B-V	240	24
	Hooks	White RAL 9016	STAGE25B-V	240	24
	<b>Side bracket I</b>	Silver RAL 9006	STAGI08B	240	24
	For sliding table top. 560 mm	Black RAL 9005	STAGI40B	240	24
	Hooks	White RAL 9016	STAGI25B	240	24
	<b>Side bracket P</b>	Silver RAL 9006	STAGP08B	240	24
	300 mm	Black RAL 9005	STAGP40B	240	24
	Without hooks	White RAL 9016	STAGP25B	240	24
<b>COMPONENTS</b>				<b>FRAME BEAMS</b>	
	<b>Frame Beam 2.0 Flex</b>	Silver RAL 9006	RAM208B	490	49
	<b>Standard</b>	Black RAL 9005	RAM240B	490	49
	1150-1740 mm	White RAL 9016	RAM225B	490	49
	<b>Frame Beam 2.0 Flex</b>	Silver RAL 9006	RAM2L08B	730	72
	<b>Long</b>	Black RAL 9005	RAM2L40B	730	72
	1750-2150 mm	White RAL 9016	RAM2L25B	730	72
	<b>Frame Beam 2.0 Fixed</b>	Silver RAL 9006	RAM2KF08B	270	27
	<b>750</b>	Black RAL 9005	RAM2KF40B	270	27
	Frame width 758 mm	White RAL 9016	RAM2KF25B	270	27
	<b>Frame Beam 2.0 Fixed</b>	Silver RAL 9006	RAM2LF08B	290	29
	<b>950</b>	Black RAL 9005	RAM2LF40B	290	29
	Frame width 958 mm	White RAL 9016	RAM2LF25B	290	29
	<b>Curve Bar</b>	Silver RAL 9006	SARGB08B	1 840	182
	Left + Right Frame width 1510 - 1910 mm				
	<b>Frame kit Sliding Table top</b>	Silver RAL 9006	SKJBKIT08B	1 110	110
	Width: 1150-1750 mm	Black RAL 9005	SKJBKIT40B	1 110	110
		White RAL 9016	SKJBKIT25B	1 110	110
	Additional price to standard + €108/set Reduction from standard: 2 x Side bracket A (STAGA) €6/pcs + 1 x Standard Beam 2.0 Flex (RAM2) €47				

























PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR
COMPONENTS				ATTACHMENTS	
	<b>Attachment for 3-leg 90°</b>	Silver RAL 9006	FASTE308B	140	14
		Black RAL 9005	FASTE340B	140	14
		White RAL 9016	FASTE325B	140	14
	<b>Attachment for 3-leg 120°</b>	Silver RAL 9006	FASTE312008B	600	59
		Black RAL 9005	FASTE312040B	600	59
		White RAL 9016	FASTE312025B	600	59
	<b>Attachment for 3-leg 180°</b>	Silver RAL 9006	FASTE3RAK08B	280	28
		Black RAL 9005	FASTE3RAK40B	280	28
		White RAL 9016	FASTE3RAK25B	280	28
	<b>Attachment for 3-leg</b> Flexible angle 0-180°	Silver RAL 9006	FASTE318008B	310	31
		Black RAL 9005	FASTE318040B	310	31
		White RAL 9016	FASTE318025B	310	31
	<b>Attachment for Single-leg</b>	Silver RAL 9006	FASTES08B	270	27
		Black RAL 9005	FASTES40B	270	27
		White RAL 9016	FASTES25B	270	27
COMPONENTS				SCREW PACKS	
<b>Screw Pack 2-column</b> AERO, CLASSIC. Including adjustable feet			SKRUV2B	100	10
<b>Screw Pack 3-column</b> AERO, CLASSIC. Including adjustable feet			SKRUV3B	140	14
<b>Screw Pack 2-column</b> QUADRO. Including adjustable feet			SKRUVQ2B	100	10
<b>Screw Pack 3-column</b> QUADRO. Including adjustable feet			SKRUVQ3B	140	14

PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR
<b>COMPONENTS</b>				<b>CONTROL BOXES</b>	
	<b>Control Box A</b>		STYRA2B	1 050	104
	SMARTneo standard 2-motor - 2 stage, 500 stroke				
	<b>Control Box B</b>		STYRB2B	1 050	104
	SMARTneo standard 2-motor - 3 stage, 660 stroke				
	<b>Power Cable</b>		SLADDA1B	40	4
	SMARTneo standard europé - 220V, 1,8 m				
	<b>Power Cable</b>		SLADDA1B-UK	60	6
	SMARTneo UK - 1,8 m				
	<b>Control Box G</b>		STYRGB	1 300	129
	SMART 2-motor - 2 stage, 120V				
	<b>Control Box H</b>		STYRHB	1 300	129
	SMART 2-motor - 3 stage, 120V				
	<b>Power Cable</b>		SLADDCB	110	11
	SMART standard US - 1,8 m				
	<b>Control Box E</b>		STYREB	1 650	163
	Compact 3-motor - 2 stage, 500 stroke				
	<b>Control Box F</b>		STYRFB	1 650	163
	Compact 3-motor - 3 stage, 660 stroke				
	<b>Power Cable</b>		SLADDBB	90	9
	Compact standard Europé - 220V, 1,8 m				
	<b>Power Cable</b>		SLADHDB	160	16
Compact UK - 3 m					
	<b>Power Cable</b>		SLADDFB	100	10
	Compact Schweiz - 3m				
	<b>Control Box K</b>		STYRKB	1 770	175
	Compact 3-motor - 2 stage, 500 stroke, 120V				
	<b>Control Box L</b>		STYRLB	1 770	175
	Compact 3-motor - 3 stage, 660 stroke, 120V				
	<b>Power Cable</b>		SLADDDB	100	10
	Compact standard US - 1,8 m				
	<b>SmartNEO pro Box 2</b>		STYRE2B	1 370	136
	1-column, 3 stage, 660 stroke				
	<b>SmartNEO 2G Box 5</b>		STYR5B	950	94
	2-column, 2 stage, 500 stroke, sensor activated				
	<b>SmartNEO 2G Box 6</b>		STYR6B	950	94
	2-column, 3 stage 660 stroke, sensor activated				
	<b>Power Cable</b>		SLADDA1B	50	5
SMARTneo Standard Europé - 220V, - 1,8 m					
<b>Power Cable</b>		SLADDA1B-UK	70	7	
	SMARTneo UK - 1,8 m				

PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR
<b>COMPONENTS</b>				<b>CONTROL BOXES</b>	
	<b>Holder for SMART/SMARTneo</b> Mounted to the frame without screws		STYRHALLSB	40	4
	<b>Extension cable</b> For lifting column 1.2 m		SLADDFRLMBB	300	30
	<b>Anti collision Sensor</b> Fixed table top For Frame Beam 2.0 Flex		SENSOR01B	200	20
	<b>Control Box Y</b> SMARTneo Sensor 2-motor - 2 stage, 500 stroke		STYRYB	1 320	131
	<b>Control Box Z</b> SMARTneo Sensor 2-motor - 3 stage, 660 stroke		STYRZB	1 320	131
	<b>Sensor Adapterkit Compact</b>		SENSOR04B	400	40
	<b>Anti collision Sensor</b>		SENSOR01B	200	20

PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR	
<b>ACCESSORIES</b>						
	<b>Swedstyle Cable Tray Work</b>		Silver RAL 9006	50530908EK	620	62
	Width 950 - 1730 mm. Height 125 - 155 mm		Black RAL 9005	50530940EK	620	62
	Including mounting plates		White RAL 9016	50530925EK	620	62
	<b>Swedstyle Cable Tray Work - Table</b>		Silver RAL 9006	50531008EK	620	62
	Width 950 - 1730 mm. Height 110 - 140 mm		Black RAL 9005	50531040EK	620	62
	Mounting in Table Top		White RAL 9016	50531025EK	620	62
	<b>Swedstyle Cable Tray Work - Twin Lower</b>		Silver RAL 9006	50530708B	460	46
	Width 950 - 1730 mm. Height 90 mm		Black RAL 9005	50530740B	460	46
	Mounting in Twin frame		White RAL 9016	50530725B	460	46
	<b>Swedstyle Side Cover Work</b>		Silver RAL 9006	50521208B	90	9
	For workstations Single or Twin		Black RAL 9005	50521240B	90	9
			White RAL 9016	50521225B	90	9
	<b>Swedstyle Cover Twin</b>		Silver RAL 9006	50531108B	380	38
	For Cable Tray Lower Twin		Black RAL 9005	50531140B	380	38
			White RAL 9016	50531125B	380	38
	<b>Swedstyle Transporter Twin</b>		Silver RAL 9006	50521408B	190	19
			Black RAL 9005	50521440B	190	19
			White RAL 9016	50521425B	190	19
	<b>Swedstyle Cable Tray Wire</b>		Silver RAL 9006	122704	180	18
	Wire 930 mm		Black RAL 9005	122705	180	18
			White RAL 9016	122706	180	18
	<b>Swedstyle Cable Tray Wire Flip</b>		Silver RAL 9006	DIKETRAD135008B	290	29
	Wire 1350 mm		Black RAL 9005	DIKETRAD135040B	290	29
	Including mounting plates		White RAL 9016	DIKETRAD135025B	290	29
	<b>Cable Management Classic</b>		Black	50521540B	400	40
	Chain 1320 mm					
	Including magnets for attachment					
	<b>Cable Management Twin</b>		Black	50521640B	250	25
	Chain 940 mm					
	<b>Cable Holder</b>		Black	KABELHALLB	20	2
	For Flex Tubes					

PRODUCT	WIDTH	COLOURS	ART.NO	SEK	EUR
ACCESSORIES				SCREEN HOLDERS	
	<b>Swedstyle Screen Holder Twin</b>	Silver RAL 9006	SKARMTW08B	530	52
		Black RAL 9005	SKARMTW40B	530	52
		White RAL 9016	SKARMTW25B	530	52
	<b>Swedstyle Screen Holder Classic</b> Fixed Height 2-pieces	Silver RAL 9006	SKARMCLF08B	500	50
		Black RAL 9005	SKARMCLF40B	500	50
		White RAL 9016	SKARMCLF25B	500	50
	<b>Swedstyle Screen Holder</b> 2-pieces	Silver RAL 9006	SKARM08B	140	14
		Black RAL 9005	SKARM40B	140	14
		White RAL 9016	SKARM25B	140	14
	<b>Swedstyle Screen Holder</b> 2-pieces Mounting plate included	Silver RAL 9006	SKARMBLE08B	160	16
		Black RAL 9005	SKARMBLE40B	160	16
		White RAL 9016	SKARMBLE25B	160	16
ACCESSORIES				CABLE TRAYS	
	<b>Swedstyle Cable Tray Conference 400</b>	Black	50520145B	740	73
		White	50520165B	740	73
	<b>Swedstyle Cable Tray Conference 800</b>	Black	50520045B	920	91
		White	50520065B	920	91
	<b>Swedstyle Creative Surface 260/80</b>	Black	50520245B	170	17
		White	50520265B	170	17
	<b>Swedstyle Creative Surface 260/220</b>	Black	50520345B	170	17
		White	50520365B	170	17
	<b>Swedstyle Creative Surface 260</b>	Black	50520445B	170	17
		White	50520465B	170	17
	<b>Swedstyle Creative Surface 780/80x2</b>	Black	50520545B	400	40
		White	50520565B	400	40
	<b>Swedstyle Creative Surface 780/220</b>	Black	50520645B	400	40
		White	50520665B	400	40
	<b>Swedstyle Creative Surface 780</b>	Black	50520745B	400	40
		White	50520765B	400	40
	<b>Swedstyle Side Cover Conference</b>	Black	50520845B	190	19
		White	50520865B	190	19

PRODUCT	COLOURS	ART.NO	SEK	EUR
<b>ACCESSORIES</b>				
	<b>Cable Tray Textile Home Office</b> Light gray with white hooks	514120E	240	24
	Light gray with black hooks	514121E	240	24
<b>HANDCONTROLLERS</b>				
	<b>Swedstyle Motion S</b> Sliding Swedstyle Logo	HAND01B	90	9
	<b>Swedstyle Motion S - No logo</b> Sliding No Logo	HAND02B	80	8
	<b>Swedstyle Motion T</b> Up/Down, Touch	HAND07B	190	19
	<b>Swedstyle Motion Ti</b> Up/Down, Touch Inlay	HAND10B	180	18
	<b>Swedstyle Memory Ti</b> Display, Programming, Touch Inlay	HAND09B	650	64
	<b>Swedstyle Motion F</b>	HAND15B	275	27
	<b>Swedstyle Memory S</b> With Swedstyle Logo	HAND16B	300	30
	<b>Swedstyle Memory</b>	HAND17B	300	30

# Swedstyle

## Terms and Conditions

### **Terms of order**

The order confirmation must be reviewed by the customer and any adjustments must be announced within 2 days. Subsequent change or cancellation of pending orders may result in a charge depending on product and current status in the production flow.

### **Terms of sale and delivery**

Delivery time 3-4 weeks on our standard range.

### **Payment terms**

All prices are exclusive VAT. Credit checks may be made for delivery and prepayment. 30 days net, the goods remain in Swedstyle's ownership until full payment has been made. 2% interest on late payments is calculated from the first day after payment is due.

### **Transport damages**

Any deviations and damage must be noted on the consignment note and be notified by the buyer within 7 days of the goods received.

### **Warranty terms**

2-year warranty on manufacturing defects is calculated from the first month of delivery in normal use. If an error can be remedied by replaceable part of the product, the seller fulfills the warranty responsibility by sending the buyer a replacement part. The exchange takes place through the buyer's care. The exchange item is debited and the incorrect part must be returned to the seller immediately, unless otherwise agreed by the seller. The seller credits the buyer after approval. Deliveries are made in accordance with NL09.